

Efficacité particulaire

CLASSE	5 μ m	3 μ m	1 μ m	0.5 μ m	0.3 μ m	0.1 μ m
M5	85%	65%	10%	5%		
M6	90%	85%	45%	25%	20%	15%
F7	99%	95%	85%	70%	60%	50%
F8	99.90%	99.50%	98%	90%	80%	70%
E10			99%	98%	95%	92%
H13			99.99%	99.995%	99.99%	99.97%
H14				99.9995%	99.999%	99.997%
U15					99.9999%	99.9997%
U16					99.99999%	99.99997%

Les valeurs de ce tableau sont indicatives